





MFG DATE	5.5 EGCD	8.0-15.0 EGTD
UP TO 7/2017	60HZ PIN 8 TO TB1-6 (+12V) 50HZ (NOT AVAILABLE)	60HZ PIN 9 TO TB1-6 (+12V) 50HZ (NOT AVAILABLE)
FROM 8/2017	60HZ PIN 8 TO TB1-9 (GND) 50HZ PIN 8 TO TB1-6 (+12V)	60HZ PIN 8 TO TB1-6 (+12V) 50HZ PIN 8 TO TB1-9 (GND)
FROM 4/2019	60HZ PIN 8 TO TB1-9 (GND) 50HZ PIN 8 TO TB1-6 (+12/24V)	60HZ PIN 8 TO TB1-9 (GND) 50HZ PIN 8 TO TB1-6 (+12/24V)

- NOTES:
1. FIRE SUPPRESSION SYSTEM CONNECTION. REMOVE JUMPER
2. ECU PIN 8 CONTROLS ENGINE SPEED FOR AC LINE POWER FREQUENCY (SEE CHART)
- 56209 - HARNESS, GENSET 5.5, 7.6 EG DSL
 - 56223 - HARNESS, GEN PNL EG DSL
 - 56224 - HARNESS, GEN PNL 5.5, 8-15 EG
 - 56240 - HARNESS, INSTR PNL EG DSL
 - 56261 - HARNESS, PNL BOX CONN EG DSL
 - 15223 - JUMPER, TERMINAL BLOCK 20 AMP

TOLERANCES UNLESS OTHERWISE SPECIFIED DIMENSIONS IN PARENTHESES		WESTERBEKE Engines & Generators	
INCHES: .0005 MILLIMETERS: .015		TITLE: DGGENSET WIRE 5.5, 8-15 EG DSL	
APPROVED BY: [Signature]		DATE: 09/11/2024	
SCALE: 1:1		SHEET: 1 OF 3	
DRAWN BY: EF		PARTIAL: []	
SIZE: []		REV: H	
THIRD ANGLE PROJECTION		56225	



NOTES:
1. FIRE SUPPRESSION SYSTEM CONNECTION.
REMOVE JUMPER.
2. ECU P11 & CONTROLS ENGINE SPEED FOR
AC LINE POWER FREQUENCY (SEE CHART ON PG 1)

○ INSTRUMENT PANEL CONECTOR PINS

TOLERANCES (UNLESS OTHERWISE SPECIFIED) DIMENSIONS ARE IN INCHES (MILLIMETERS)		WESTERBEKE Engine & Generator	
INCHES: .0005 MILLIMETERS: .015		TITLE: DGGENSET WIRE 5.5.8-15 EG DSL	
APPROVED BY: [Signature]		DATE CREATED: 08/11/2024	
SCALE: 1:1		MATERIAL: 18-8 SS	
SHEET: 2 of 3		SIZE: D	
TRIPLE ANGLE PROJECTION		DRAWING NUMBER: 56225	
		REV: H	

THIS DRAWING IS PROPRIETARY TO WESTERBEKE CORP.
AND MAY NOT BE REPRODUCED OR COPIED WITHOUT
A THIRD PARTY WRITTEN PERMISSION.

150 JOHN HANCOCK RD.
HAUNTON MA 02785
150MT-W23-1411

REVISION PAGE

ECO NO.	DATE	REV.	REVISION RECORD	AUTH.	DR.	BY
7248	3-29-03	A	UPDATE NOTES ECU PIN 8		JAS	
7293	3-29-03	B	UPDATE NOTES ECU PIN 8		JAS	
7364	3-29-03	C	ADDED NOTE FOR SPRT 8-15 EGDS		JAS	
7446	3-15-03	D	UPDATED GND CONNECTION FROM TB1-3		JAS	
7446	3-15-03	D	ADDED VARIOUS NOTES		JAS	
7648	3-21-03	E	UPDATE OF 56225 ALTERNATOR SYMBOLS FOR CLARITY	GA	RCF	
7702	11-30-03	F	REMOVED GND SOLENOID CIRCUIT; ADDED BATTERY NEGATIVE CONNECTION TO STARTER		EF	
7756	03-11-04	G	UPDATED ALTERNATOR & ALT. WIRING		EF	
7858	12-28-04	H	CORRECTED DIODE PART NUMBERS		JCB	

TOLERANCES
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETERS

INCHES:

MILLIMETERS:

1/8" ± .005

1/16" ± .003

1/32" ± .003

1/64" ± .001

ROUNDNESS: .005 ± .001 TIR

SURF. FINISH: 32 RMS

THIRD ANGLE PROJECTION

APPROVED BY

DATE

SCALE

SHEET 3 OF 3

WESTERBEKE

Engines & Generators

TITLE:

DGGENSET WIRE 5.5.8-15 EG DSL

DRAWN BY:

DATE CREATED:

MATERIAL:

SIZE

DRAWING NUMBER

REV.

150 JOHN HANCOCK RD.
TAUNTON MA 02786
1-800-923-7417

WESTERBEKE

Engines & Generators

TITLE:

DGGENSET WIRE 5.5.8-15 EG DSL

DRAWN BY:

DATE CREATED:

MATERIAL:

SIZE

DRAWING NUMBER

REV.

150 JOHN HANCOCK RD.
TAUNTON MA 02786
1-800-923-7417